






Contact
medical innovations

INSTRUMENTS FOR HYSTEROSCOPY



Hysteroscopy


Content

Hysteroscopy	<i>page</i>
<i>Hysteroscopes</i>	04
<i>Fiber Light Cables</i>	05
Diagnostic Sheaths	<i>page</i>
<i>Diagnostic Sheaths</i>	06
<i>Continuous Flow Diagnostic Sheaths</i>	07
Operating Sheaths	<i>page</i>
<i>Operating Cont. Flow Sheaths - Bettocchi</i>	08
<i>Operating Cont. Flow Sheaths - Compact</i>	09
<i>Operating Cont. Flow Sheaths</i>	10
<i>Operating Cont. Flow Sheaths - Bagg.</i>	11
Operating Sheaths	<i>page</i>
<i>Hysteroscopy Scissors and Forceps</i>	12
Resectoscopy	<i>page</i>
<i>Laser Working Elements</i>	13
<i>Monopolar Working Elements</i>	14
<i>Bayonette Sheaths, Monopolar Cables, Adapters</i>	15-16
<i>Monopolar HF Electrodes / Cold Preparation Knives</i>	17
<i>Bipolar Working Elements</i>	18
<i>Quick Lock Sheaths</i>	19-20
<i>Bipolar HF Electrodes / Cold Preparation Knives, Bipolar Cables, Adapters</i>	21
<i>Mini Bipolar Resectoscope Working Elements</i>	22
<i>Mini Sheaths - Quick-lock Obturators - Mini Bipolar HF Electrode</i>	23
<i>Uterine Manipulator</i>	24-27
<i>Ring Applicators</i>	26
<i>Operating Laparoscope</i>	26
<i>Instruments</i>	28-29

Hysteroscopy

Endoscopes

*High-Definition, wide angle
Autoclavable, max.134°C/2,3bar/5min*



Medici Endoscope-line consist of high quality telescopes which have been developed according to the most modern technology and production standards. A new generation optic system assures a unique color, contrast and highly defined details reproduction, both in center of the image and at the adges. A particularly true color reproduction and a markable depth of focus guarantee a natural picture. Distal and proximal sapphire windows provide an extremely high level of scratches resistance.

Ordering n°	Ø	Viewing Angle	Working length
40 260 CA.HD	2,0mm	0°	260mm
40 260 CE.HD	2,0mm	30°	260mm

Ordering n°	Ø	Viewing Angle	Working length
40 302 LA.HD	2,9mm	0°	302mm
40 302 LB.HD	2,9mm	12°	302mm
40 302 LE.HD	2,9mm	30°	302mm
40 302 LG.HD	2,9mm	70°	302mm

Ordering n°	Ø	Viewing Angle	Working length
40 302 NA.HD	4,0mm	0°	302mm
40 302 NB.HD	4,0mm	12°	302mm
40 302 ND.HD	4,0mm	25°	302mm
40 302 NE.HD	4,0mm	30°	302mm
40 302 NG.HD	4,0mm	70°	302mm

Hysteroscopy

Fiber Light Cables

Fiber Light Cables, Xenon Safe, Led White Light

Medici Optical Fiber Cable is made to resist and to shield against very high thermic energies especially in the use of **Xenon** light sources due to the fusion of light fiber in the cable itself.
This guarantees **20%** light more in the operating field.



New High Performances White Line-LED Light Cables
New «WhiteLine» LED series Optical Fibers Light Cables have been designed and made up to be used with cutting edge LED Light Sources. By enhancing the transmission effectiveness of an already well-established and first-choice optical fibers light cable, light output and illumination, when operating with a LED light source together with a modern HD telescope, can be visibly and considerably increased.

3,5mm diameter , xenon safe, for Ø 4,0 - 2,9mm scopes

Xenon	LED	Working length	Xenon	LED	Working length
49 180 X	49 180 XL	1800mm	49 300 X	49 300 XL	3000mm
49 230 X	49 230 XL	2300mm	49 400 X	49 400 XL	4000mm
49 250 X	49 250 XL	2500mm	49 500 X	49 500 XL	5000mm

4,9mm diameter , xenon safe, for Ø 10,00mm scopes

Xenon	LED	Working length	Xenon	LED	Working length
49 180 P	49 180 PL	1800mm	49 300 P	49 300 PL	3000mm
49 230 P	49 230 PL	2300mm	49 400 P	49 400 PL	4000mm
49 250 P	49 250 PL	2500mm	49 500 P	49 500 PL	5000mm

Adaptors for optic fiber light cable

Ordering n°	Projector end	Description	Ordering n°	Instrument end
49 110 A		Medici/Storz	49 010 A	
49 110 B		Acmi/Stryker	49 010 B	
49 110 C		Wolf/Dyonics	49 010 C	
49 110 D		Olympus/Acme		
49 110 F		Olympus new	49 010 F	

Hysteroscopy

Diagnostic Sheaths




*Diagnostic Hysteroscopy sheath,
with 1 rotatable stopcock, with obturator*

System	Colour	outer Ø 2,9mm	WL	Sheath only	Obturator only
4713130	Red	Ø2,0mm 0° Scope	228 mm	4703130	4703093
4713131	Red	Ø2,0mm 30° Scope	228 mm	4703131	4703093
4713133	Red	Ø2,0mm 12° Scope	228 mm	4703133	4703093
System	Colour	outer Ø 4mm	WL	Sheath only	Obturator only
4712123	White	Ø2,9mm 0° Scope	270 mm	4702123	4702102
4712122	White	Ø2,9mm 30° Scope	270 mm	4702122	4702102
System	Colour	outer Ø 5mm	WL	Sheath only	Obturator only
4711121	Blue	Ø4,0mm 0° Scope	270 mm	4701121	4701107
4711120	Blue	Ø4,0mm 30° Scope	270 mm	4701120	4701107

Hysteroscopy

Diagnostic Sheaths



Diagnostic Hysteroscopy system, double sheath, continuous flow, with obturator


System	Description	Colour	Scope	WL	Sheath Only
4713090	Ø2,9mm Diagnostic Inner Sheath, straight	Red	Ø 2,0mm 0° Scope	218 mm	4703090
4713091	Ø2,9mm Diagnostic Inner Sheath, oblique	Red	Ø 2,0mm 30° Scope	218 mm	4703091
	Ø3,7mm Continuous flow Outer Sheath Round	Red		200 mm	4703092
	Obturator	Red			4703093

System	Description	Colour	Scope	WL	Sheath Only
4712104	Ø 4,0mm Diagnostic Inner Sheath , straight	White	Ø 2,9mm 0° Scope	260mm	4702104
4712100	Ø 4,0mm Diagnostic Inner Sheath , oblique	White	Ø 2,9mm 30° Scope	267mm	4702100
	Ø 5,0mm Continuous flow Outer Sheath Round	White		240mm	4702101
	Obturator	White			4702102

System	Description	Colour	Scope	WL	Sheath Only
4711103	Ø 5,4mm Diagnostic Inner Sheath , straight	Blue	Ø4,0mm 0/12° Scope	260mm	4701103
4711105	Ø 5,4mm Diagnostic Inner Sheath , oblique	Blue	Ø 4,0mm 30° Scope	260mm	4701105
	Ø 6,5mm Continuous flow Outer Sheath Round	Blue		240mm	4701106
	Obturator	Blue			4701107

Hysteroscopy

Operating Sheaths




Bettocchi Operating Hysteroscopy system, double sheath, continuous flow, instrument channel, drop shaped

System	Description	Colour	Scope	WL	Sheath Only
4723300	Operating Inner Sheath, with 5Fr working channel, 1 stopcock	Red	Ø 2,0mm 30° Scope WL 260mm		4713310
	Continuous flow Operative Outer sheath, oval, Ø4,3mm, 1 stopcock	Red		181 mm	4713300
System	Description	Colour	Scope	WL	Sheath Only
4722300	Operating Inner Sheath, with 5Fr working channel, 1 stopcock	White	Ø 2,9mm 30° Scope WL 302 mm		4702310
	Continuous flow Operative Outer sheath, drop shaped, Ø5,0mm, 1 stopcock	White		192 mm	4702300
System	Description	Colour	Scope	WL	Sheath Only
4722301	Operating Inner Sheath, with 5Fr working channel, 1 stopcock	Turquoise	Ø 2,9mm 30° Scope WL 302 mm		4702311
	Continuous flow Operative Outer sheath, drop shaped, Ø5,0mm, 1 stopcock	Turquoise		235 mm	4702301
System	Description	Colour	Scope	WL	Sheath Only
4721300	Operating Inner Sheath, with 5Fr working channel, 1 stopcock	Blue	Ø 4,0mm 30° Scope WL 302 mm		4701310
	Continuous flow Operative Outer sheath, drop shaped, Ø6,5mm, 1 stopcock	Blue		192 mm	4701300
System	Description	Colour	Scope	WL	Sheath Only
4731300	Operating Inner Sheath, with 7Fr working channel, 1 stopcock	Green	Ø 4,0mm 30° Scope WL 302 mm		4711310
	Continuous flow Operative Outer sheath, drop shaped, Ø7,0mm, 1 stopcock	Green		192 mm	4711300

Hysteroscopy

Operating Sheaths




Compact Operating Hysteroscopy sheath, instrument channel, one-piece, continuous flow

Description	Colour	Scope	WL	Ordering n°
High-Flow compact, continuous flow, Ø 4,3mm, 5 Fr channel	Red	Ø 2,0mm 30° WL 260mm	173 mm	4703371
High-Flow compact, continuous flow, Ø 4,3mm, 5 Fr channel	Red	Ø 2,0mm 30° WL 302mm	215 mm	4703372
Description	Colour	Scope	WL	Ordering n°
High-Flow compact, continuous flow, Ø 5,5mm, 5 Fr channel	White	Ø 2,9mm 12/30° WL 302mm	212 mm	4702370

Hysteroscopy

Operating Sheaths



Operating Hysteroscopy system, *double sheath, continuous flow*, instrument channel, oval shaped

System	Description	Colour	Scope	WL	Sheath Only
47011320	Inner Sheath, 1x7 Fr channel, 1 stopcock	Blue	Ø 4,0mm 30° Scope WL 302mm		4701320
	Outer sheath, continuous flow, Ø7,0mm, 1rotating stopcock Oval	Blue		183 mm	4701325
	Obturator	Blue			4701326




Description	Colour	Scope	Ordering n°
Albarran deflector, 1x7 Fr channel, 1 rotating stopcock	Blue	Ø 4,0mm 30° Scope WL 302mm	4701030
Obturator	Blue		4701032



Description	Colour	WL	Ordering n°
Outer Continuous flow sheath, Ø8,0mm, 1 stopcock rotating	Blue	180 mm	4701031

Hysteroscopy


Operating Sheaths



Operating Hysteroscopy sheath, instrument channel, continuous flow, BAGG.

Description	Scope	WL	Ordering n°
Operative continuous flow sheath, Ø6,0mm , 1x5Fr channel, 2 rotating stopcocks	Ø 2,8mm 30° Scope WL 302mm	200 mm	4702115
Operative continuous flow sheath, Ø6,0mm , 1x5Fr channel, 2 rotating stopcocks	Ø 2,8mm 0° Scope WL 302mm	200 mm	4702116

Description	Scope	WL	Ordering n°
Operative continuous flow sheath, Ø8,0mm , 1x7Fr channel, 2 rotating stopcocks	Ø 4,0mm 30° Scope WL 302mm	200 mm	4701110
Operative continuous flow sheath, Ø8,0mm , 1x7Fr channel, 2 rotating stopcocks	Ø 4,0mm 0° Scope WL 302mm	200 mm	4701111



Description	Scope	WL	Ordering n°
Operative continuous flow sheath, Ø7,5mm , 1x7Fr channel, double stopcocks	Ø 4,0mm 30° Scope WL 302mm	215 mm	4701112
Operative continuous flow sheath, Ø7,5mm , 1x7Fr channel, double stopcocks	Ø 4,0mm 0° Scope WL 302mm	215 mm	4701113

Description	Scope	WL	Ordering n°
Operative continuous flow sheath, Ø8,0mm , 2x7Fr channel, double stopcocks	Ø 4,0mm 30° Scope WL 302mm	215 mm	4701151
Operative continuous flow sheath, Ø8,0mm , 2x7Fr channel, double stopcocks	Ø 4,0mm 0° Scope WL 302mm	215 mm	4701150

Hysteroscopy

Scissors and Forceps, wl 410mm, semirigid




Hysteroscopy Forceps
Semirigid, WL 410 mm


Description	5 Ch	7 Ch	
Biopsy Forceps, oval cup, sharp	4641116	4641123	A semirigid biopsy forceps with a long shaft and a small, sharp, oval cup at the tip.
Scissors, pointed tips	4641916	4641923	A semirigid pair of scissors with a long shaft and pointed tips.
Scissors, blunt tips	4641216	4641223	A semirigid pair of scissors with a long shaft and blunt tips.
Cutting Biopsy Punch	4641816	4641823	A semirigid cutting biopsy punch with a long shaft and a small, sharp, cup-shaped tip.
Alligator Forceps	4641016	4641023	A semirigid alligator forceps with a long shaft and a small, sharp, cup-shaped tip.
Grasping Forceps, cup, serrated	4641716	4641723	A semirigid grasping forceps with a long shaft and a small, sharp, cup-shaped tip with serrated edges.
Tenaculum Forceps	4641316	4641323	A semirigid tenaculum forceps with a long shaft and a small, sharp, cup-shaped tip.

Hysteroscopy

Laser Resectoscope System



Ordering n°	Description
4404100/0,8	Laser Working Element, passive action, for Ø4,0mm scopes for flexible laser probe until 0,8 mm
4404100/1,2	Laser Working Element, passive action, for Ø4,0mm scopes for flexible laser probe until 1,2 mm
4404110/0,8	Laser Working Element, passive action, for Ø2,9mm scopes for flexible laser probe until 0,8 mm
4404110/1,2	Laser Working Element, passive action, for Ø2,9mm scopes for flexible laser probe until 1,2 mm
4404111	Luer Lock Connector
4404111L	Long Luer Lock Connector



Ordering n°	Description
4404100	Laser Working Element, passive action, without button, for Ø4,0mm scopes
4404050	Laser Working sheath, for Ø4,0mm scopes, for Laser probes (up to 0,7mm)
4404100A	Laser probe guiding channel for Laser probes (up to 0,8mm)
4404100B	Laser probe guiding channel for Laser probes (up to 1,0mm)
4404100C	Laser probe guiding channel for Laser probes (up to 1,2mm)
4404100D	Laser probe guiding channel for Laser probes (up to 1,5mm)
4404118	Fiber stop, T-B adapter with 3 silicon seals Long Luer Lock Connector

Hysteroscopy

Monopolar Resectoscope Working Elements




Ordering n°	Description	Scope
4403100	Working Element, passive action, closed handle, 24-26Ch / 27-28,5Ch, Bayonet connection	Ø 4mm, WI302mm, 0°-12°-30°
4401100	Working Element, passive action, closed handle, 24-26Ch / 27-28,5Ch, Quick-Lock connection	Ø 4mm, WI302mm, 0°-12°-30°






Ordering n°	Description	Scope
4403110	Working Element, active action, closed handle, 24-26Ch / 27/28,5Ch, Bayonet	Ø 4mm, WI302mm, 0°-12°-30°
4401110	Working Element, active action, closed handle, 24-26Ch / 27/28,5Ch, Quick-Lock	Ø 4mm, WI302mm, 0°-12°-30°

Hysteroscopy

Resectoscope Sheaths






Continuous Flow sheath, double sheath system,
with 2 stopcocks, **FIXED**, with obturator, 24/26Ch

System	Inner sheath	Inner Tip	Outer sheath	Outer sheath Model	
4413120	4413121	Obblique	4413122	all around perforations	
4413120A	4413121A	Straight	4413122A	upper/lower perforations	
			4413122B	all around, long holes perforations	

Obturator	4413123
-----------	---------



Continuous Flow sheath, double sheath system,
with 2 stopcocks, **ROTATABLE**, with obturator, 24/26Ch.

System	Inner sheath	Inner Tip	Outer sheath	Outer sheath Model	
4413125	4413126	Obblique	4413127A	perforations all around	
4413125A	4413126A	Straight	4413127B	perforation all around, long holes	
			4413127C	upper perforation long holes	
			4413127D	upper and lower perforation	
			4413127E	upper perforation	
			4413127F	perforation all around/extra small holes	

Obturator	4413123
-----------	---------

Monopolar Cables



Meters	Ordering n°	Meters	Ordering n°	Meters	Ordering n°	Ordering n°
3mt	2373066	3mt	2373069	3mt	2373067	2370016
5mt	2375066	5mt	2375069	5mt	2375067	

Hysteroscopy

Resectoscope Sheaths / Obturators



Standard sheath, with 1 stopcock,
oblique sheath end, with obturator.

	System	Sheath	Charr.	Obturator
Standard sheath, with 1 stopcock	4413117	4413115	24Ch	4413123
	4413118	4413116	27Ch	4413123
Standard sheath, with 1 stopcock, with long beak.	4413111	4413112	24Ch	4413156
	4413114	4413113	27Ch	4413157



Ordering n°	Description
4413130	Deflecting tip 24Ch obturator, yellow
4413131	Deflecting tip 27Ch obturator, black



Ordering n°	Description
4413137	24Ch Visual Obturator with 6Ch Instrument channel, yellow
4413138	27Ch Visual Obturator with 9Ch Instrument channel, black



Ordering n°	Description
4413139	24Ch Visual Obturator, yellow
4413134	27Ch Visual Obturator, black
























For Quick-Lock sheaths refer to bipolar system

Hysteroscopy

Resectoscope HF Electrodes




Monopolar Resectoscope HF Electrodes

	Description	24Ch Yellow	27Ch Brown
	HF 30° angled Loop Electrode, for 30°scope, cutting wire 0,35mm	4423200	4423201
	HF Loop Electrode, straight cutting wire 0,35mm	4423202	4423212
	HF Loop Electrode, 90°angled, for 0° scope, cutting wire 0,35mm	4423213	4423214
	HF Knife Electrode	4423203	4423203A
	HF Ball Electrode, 3mm	4423204	4423204A
	HF Ball Electrode, 5mm	4423205	4423205A
	HF coagulating cylinder Electrode, 3mm	4423206	4423206A
	HF coagulating cylinder Electrode, 5mm	4423207	4423207A
	HF Cone shaped Electrode	4423208	
	HF Spiked Vapor electrode, 3mm	4423215	4423215A
	HF Spiked Vapor electrode, 5mm	4423216	4423216A
	HF Vaporization Electrode, 3mm	4423217	4423217A
	HF Vaporization Electrode, 5mm	4423218	4423218A
	HF Knife Electrode	4423225	
	HF smooth band-Electrode for 0°scope	4423226	
	HF smooth band Electrode for 30°scope	4423230	
	Curette, sharp	4423220	
	Curette, blunt	4423227	
	HF Band-Vaporization Electrode	4423228	
	HF needle, Electrode, angled	4423232	
	Preparation Cold Knife, 90°	4321342	
	Preparation Cold Knife H, 90°	4321345	
	Preparation Cold Knife, Loop straight	4321340	



4423990 Sterilization stainless steel tube for Electrodes and cold knives


Bipolar Resectoscope Working Elements






Ordering n°	Description	Scope
4407100	Bipolar Working Element, passive action, closed handle, quick lock connection, for adult, 24-26Ch / 27-28,5Ch	Ø 4mm, WI302mm, 0°-12°-30°
4407100STO	Bipolar Working Element, passive action, closed handle, Bayonet connection, for adult, 24-26Ch / 27-28,5Ch	Ø 4mm, WI302mm, 0°-12°-30°




Ordering n°	Description	Scope
4407110	Bipolar Working Element, active action, closed handle, quick lock connection, for adult, 24/26Ch 27/28,5Ch	Ø 4mm, WI302mm, 0°-12°-30°
4407110STO	Bipolar Working Element, active action, closed handle, bayonet connection, for adult, 24/26Ch 27/28,5Ch	Ø 4mm, WI302mm, 0°-12°-30°






Continuous Flow sheath, double sheath system, quick-lock, with 2 stopcocks, **FIXED**, oblique shaft end, with obturator, 24/26Ch

	System	Inner sheath	Inner Tip	Outer sheath	Outer sheath Model
	4417120	4417121	Obblique	4417122	all around perforations
	4417120A	4417121A	Straight	4417122A	upper/lower perforations
				4417122B	all around, long holes perforations
Obturator				4417123	



Continuous Flow sheath, double sheath system, quick-lock, with 2 stopcocks, **ROTATABLE**, oblique shaft end, with obturator, 24/26Ch.

	System	Inner sheath	Inner Tip	Outer sheath	Outer sheath Model
	4417125	4417126	Obblique	4417127A	all around perforations
	4417125A	4417126A	Straight	4417127B	all around, long holes perforation
				4417127C	long holes upper perforation
				4417127D	upper and lower perforation
				4417127E	upper perforation
				4417127F	all around/extra small holes perforation
Obturator				4417123	

Hysteroscopy

Resectoscope Sheaths, Quick-Lock



	System	Sheath	Charr.	Obturator
Standard sheath, with 1 stopcock, oblique sheath end , quick-lock	4417117	4417115	24Ch	4417123
	4417118	4417116	27Ch	4417123
Standard sheath, with 1 stopcock, with long beak , quick-lock	4417111	4417112	24Ch	4417156
	4417114	4417113	27Ch	4417157



Description	Quick-Lock	Bayonet
24Ch Deflecting tip Obturator, yellow	4417130	4413130
27Ch Deflecting tip Obturator, black	4417131	4413131













Description	Quick-Lock	Bayonet
24Ch Visual Obturator with 6Ch Instrument channel, yellow	4417137	4413137
27Ch Visual Obturator with 9Ch Instrument channel, black	4417138	4413138



Description	Quick-Lock	Bayonet
24Ch Visual Obturator, yellow	4417139	4413139
27Ch Visual Obturator, black	4417134	4413134

Bipolar Resectoscope HF Electrodes



Description	24Ch Yellow
 HF 30° angled, Loop Electrode for 30°scope, cutting wire 0,35mm	4427200
 HF Loop Electrode, straight, cutting wire 0,35mm	4427202
 HF Loop Electrode, 90°angled, for 0° scope, cutting wire 0,35mm	4427213
 HF Knife Electrode	4427203
 HF Ball Electrode, 3mm	4427204
 HF Ball Electrode, 5mm	4427205
 HF Cone shaped Electrode	4427208
 Preparation Cold Knife, 90°	4321342
 Preparation Cold Knife H, 90°	4321345
 Preparation Cold Knife, Loop straight	4321340



Description	Ordering n°
Sterilization stainless steel tube for Electrodes and cold knives	4423990

Resectoscope Bipolar Cables



Ordering n°	Description	Ordering n°	Description
2373079	Endomed Bipolar cable, 3mt	2373080	Valleylab Bipolar cable, 3mt

Generator side



Generator side



Bipolar adapter




Ordering n°	Side plug, generator
2370017	Medici/Martin
2370018	Medici/Erbe
2370019	2 Banana 4mm




Hysteroscopy

Mini Bipolar Resectoscope Working Elements For Ø 2,9mm Scopes



Ordering n°	Description
4408100	Bipolar Working Element, passive action, closed handle, quick-lock, for 17,0Ch - 17,5/18,5Ch. Sheaths, Ø 2,9mm, WI 302mm, 0°-12°-30° Scope
4408110	Bipolar Working Element, active action, closed handle, quick-lock, for 17,0Ch - 17,5/18,5Ch. Sheaths, Ø 2,9mm, WI 302mm, 0°-12°-30° Scope




Continuous Flow sheath, double sheath system,
with 2 stopcocks, **ROTATABLE**, oblique shaft end,
17,5/18,5Ch.

ROTATABLE System	Inner sheath	Inner Tip	Outer sheath	Obturator
4418125	4418126	Oblique	4418127	4418123
FIX System	Inner sheath	Inner Tip	Outer sheath	Obturator
4418120	4418121	Oblique	4418122	4418123

Hysteroscopy





Resectoscope Sheaths



System	Sheath	Ø	Obturator
4418117	4418115	17Ch	4418123



Bipolar Resectoscope HF Electrodes

	Description	17Ch Yellow
	HF 30° angled Loop Electrode, for 30°scope, cutting wire 0,35mm	4428200
	HF Loop Electrode, straight cutting wire 0,35mm	4428202
	HF Knife Electrode	4428203
	HF Ball Electrode 3mm	4428204

Resectoscope Bipolar Cables



Ordering n°	Description	Ordering n°	Description
2373079	Endomed Bipolar cable, 3mt	2373080	Valleylab Bipolar cable, 3mt




Bipolar adapters



Ordering n°	Plug side, generator
2370017	Medici/Martin
2370018	Medici/Erbe
2370019	2 Banana 4mm





Uterine Manipulator

The Uterine Manipulator was developed for the manipulation and presentation of the uterus during a complete laparoscopic hysterectomy, as well as protecting the bladder, ureter, and rectum during the electrosurgical resection of the uterus. The reusable instrument is fully modular and can fit all anatomical conditions as vaginal delineating tubes and intrauterine elements of various sizes are available. Once the instrument has been placed, the uterus can be moved in all directions, thus providing optimal exposure of all anterior, posterior and lateral aspects of the uterus.


The vaginal delineating tube is slipped over the instrument shaft in a forward direction and thus allows the separation of the vagina whilst offering protection to the bladder, ureter and rectum. The electrosurgical resection can be easily and safely accomplished around the ceramic ring. The ceramic ring does not deteriorate when electrosurgical energy is applied and thus can be reused many times.

The vaginal delineating tube is available in 3 different sizes to fit the specific anatomical conditions. The assembled instrument is comparatively light in weight and well balanced -this reduces effort during use.

With the tenaculum forceps tightly fixed to the cervix, the uterus can now easily be moved for presentation and preparation purposes.

The complete instrument set consists of several components which can be easily detached, cleaned, sterilized and reassembled. The high-grade materials are very durable and sterilization is trouble-free.

Uterine Manipulator



Ordering n°	Description
	Complete set
4704100	Universal handle, rotatable
4704225	Shaft with fixation nut
4704226	Inner shaft with locking pin
4704300	Sliding and fixation shaft
4704530	Cervical tenaculum
4704604	Intrauterine element, 4 x 40mm
4704605	Intrauterine element, 5 x 50mm
4704606	Intrauterine element, 6 x 60mm
4704607	Intrauterine element, 7 x 70mm
4704608	Intrauterine element, 8 x 80mm
4704435	35 mm Tube with insulating ring
4704440	40 mm Tube with insulating ring
4704445	45 mm Tube with insulating ring

Gynecology



Ring Applicator / OP-Laparoscope




Ordering n°	Description	WL	Ø
4704299	Ring applicator for first incision, with loading device, used with operating laparoscope	355 mm	6,0mm




Ordering n°	Description	WL	Ø
4704399	Ring applicator for second incision, with loading device, used with Trocar Sleeve	300 mm	6,5mm

Ordering n°	Description	
4704530	Loading device for ring applicators	
4704524	Cone part for ring applicators	



OP-LAPAROSCOPE

Ordering n°	Description	WL	Ø
OP10268RA	OP-Laparoscope , 0°, 16Fr Channel	268 mm	10 mm

Ordering n°	Description	
ADOP10268	Adaptor for OP-Laparoscope	

Gynecology

Uterine Manipulator



Ordering n°	Description
4704190	Uterine Manipulator, with six Adapters
consisting of:	
Ordering n°	Description
4704090	Uterine Manipulator
4704096	Adapter, Ø 8 x 80 mm
4704095	Adapter, Ø 10 x 100 mm
4704094	Adapter, Ø 3 x 45 mm
4704093	Adapter, Ø 3 x 55 mm
4704092	Short cone adapter
4704091	Long cone adapter



Gynecology

Instruments



Myoma Drill



Ordering n°	Description	Ø	WL
170-6401-330	Myoma Drill	5,0 mm	320 mm
170-6401-370	Myoma Drill	5,0 mm	370 mm



Cohen Intra Uterine Probe

Ordering n°	Description
4704199	Cohen Intrauterine probe complete
	consisting of:
4704099	Cohen Cannula
4704098	Portio Adapter Small
4704097	Portio Adapter Large



Ordering n°	Description	WL
170-5800-32	Sims Uterine Probe, rigid	320 mm
170-5801-32	Sims Uterine Probe, bendable	320 mm



Ordering n°	Description	WL
170-5802-32	Martin Uterine Probe, rigid	320 mm
170-5803-32	Martin Uterine Probe, bendable	320 mm



Ordering n°	Description	WL
170-5804-28	Collin Uterine Probe, rigid	280 mm



Ordering n°	Description
170-5006-25	Pozzi Uterine Tenaculum Forceps, 25 cm
170-5006-17	Pozzi Uterine Tenaculum Forceps, 17.5 cm
170-5002-25	Schroeder Uterine Tenaculum Forceps 25cm

contact

CONTACT Co.

104 Kyrylivska str.,
Kyiv 04080, Ukraine
Ph. +380 44 490-9356

export@contact-endoscopy.com
www.contact-endoscopy.com



Contact
medical innovations